Technical data

IMPRESSA X9 Win

JURA standards

Variable brewing unit, from 5 g to 16 g	■
Intelligent Pre-Brew Aroma System (I.P.B.A.S.©)	■
Intelligent preheating	
Active bean monitoring	■
Energy Save Mode (E.S.M.©)	
High-performance pump, 15 bar	2
Thermoblock heating system	2
Fluid system	2
Parallel fluid systems	
Monitored drip tray	■
Maintenance status display	■
Integrated rinsing, cleaning and descaling program	■
Adjustable water hardness	■
One or two cups of espresso in one brewing operation	■
JURA hygiene: TÜV-certified	■
CLARIS filter cartridge	CLARIS Pro White
CLARIS water-filtering system	
Zero-Energy Switch or power switch	■
Swiss made	■

Technical data

IMPRESSA X9 Win

Specific advantages

Latte macchiato at the touch of a button	1
Caffè latte at the touch of a button	1
Cappuccino at the touch of a button	1
Pot of espresso-quality coffee	■
No. of individually programmable specialities	20
Direct water supply connection	
Drip drain set	
Separate water tank for descaling	
Professional barista steam lance	
Steam lance	■
Milk or milk foam preparation selectable via electrically controlled air intake	
JURA fine foam technology	
Electrically adjustable ceramic disc grinder (levels)	
Aroma+ grinder	
Multi-level conical grinder	■
Power hot water system (3 temperature levels)	
Hot water system (3 temperature levels)	
Hot water system	■
Hot water spout	■
Parallel preparation of coffee and hot water or steam	16 A
Powder recognition for additional ground coffee variety	
Indicator light for bean container	

Since our products are constantly updated with the latest technology, it may be that some of the technical data in this sheet does not correspond with the latest machine. The company reserves the right to alter technical data.

Technical data

IMPRESSA X9 Win

À la carte bean selection	■
Cup tray	■
Remaining time display	■
Connector System©	
Generating code groups	■
Automatic milk rinse	■
TÜV certificate for user-friendly user manual	■

Settings and programming options

Programmable amount of water	■
Amount of water can be adjusted for each preparation	■
Programmable coffee strength	on a continuous scale
Coffee strength can be adjusted for each preparation	■
Programmable brewing temperature	3
Programmable amount of milk	■
Hot water temperature can be programmed	■
Programmable amount of hot water	■
Rotary Switch for intuitive navigation	
Programmable preparation buttons	8
Resettable day counter	■
Programmable switch-on time	■
Programmable switch-off time	■
Switch-on and switch-off times can be specified for each day of the week	■

Since our products are constantly updated with the latest technology, it may be that some of the technical data in this sheet does not correspond with the latest machine generation.

Technical data

IMPRESSA X9 Win

Shows the number of preparations for each individual product	■
Resettable cup counter	■
Water filter display	■
Integrated cappuccino rinsing and cleaning programme	■

Design and materials

Alu Frame Design© 3 mm aluminium front panel	
TFT colour display	■
Plain text display	
Clear text / graphic display	
Venti Ports	
Height-adjustable dual spout (Milk/Coffee)	60-142 mm
Width-adjustable dual spout	
Height-adjustable coffee spout	
Width-adjustable coffee spout	
Height-adjustable cappuccino spout	
Height-adjustable hot water spout	
Cappuccino spout	
Cup illumination	■
Powder chute for second, ground coffee	
Sound design	■

Since our products are constantly updated with the latest technology, it may be that some of the technical data in this sheet does not correspond with the machine you have purchased.

Technical data

IMPRESSA X9 Win

Accessories

Cup warmer	■
Compressor Cooler Pro	■
Cool Control	
Milk Cooler Piccolo	
Accounting system	■
MDB interface unit	■
Coffee to Go equipment	■
Professional accessory drawer	
Permanent water connection kit	■
Drip drain set	
Coffee grounds disponsal function set	

In figures

Water tank capacity	5 l
Coffee grounds container (servings)	max. 40
Bean container with aroma preservation cover	je 600 g
Bean container can be optionally extended to	
Cable length	~ 1.1 m
Voltage	220-240 V AC
Amperage	10 A
Power	1500 W
Permanent water connection	

Since our products are constantly updated with the latest technology, it may be that some of the technical data in this sheet does not correspond with the latest technology. In case of doubt, the data of your machine are valid.

Technical data

IMPRESSA X9 Win

Drip drain pipe	
Stand-by power	< 0.5 W
Weight	20.5 kg
Dimensions (W x H x T)	43 x 58.5 x 51 cm
Checks	CE
Article number / colour	CH 13457 Platin EU 3458 EU Platin

www.coffeetime.dk
- Levering indenfor 24 timer
- Altid det bedste pakketilbud
- Kundeservice 24/7
- Autoriseret dansk forhandler - din sikkerhed
- Spørgsmål? Skriv til: service@coffeetime.dk